

## **General Instructions:**

The company that wrapped your car applied the film with the utmost care and in accordance with 3M guidelines. To ensure the film performs well over the long term, we provide you with the following instructions:

- After application, the film should not be exposed to temperatures below 0°C for 72 hours.
- During these 72 hours, the vehicle should not be washed; after this period, washing is allowed.
- Washing in a car wash is possible but not preferred and is at your own risk.
- Wash programs with hot wax and/or polish are not recommended.
- Cleaning with hard brushes will damage/scratch the film.
- Hand washing is preferred. Use our special Meguiar's Solutions for car wraps (see below). Ask the company that wrapped your car or visit www.meguiars.com/International
- Washing with a pressure washer is only allowed under these conditions:
  - Water pressure lower than 80 bar
  - Water temperature lower than 70°C
  - Spray nozzle with a minimum angle of 40°
  - Minimum distance to the film 30 cm
  - Always spray perpendicular (90° angle) to the film
  - Do not aim at the edges of the film
- Abrasive and/or aggressive chemical agents will damage the film.
- Bird droppings, tree sap, splashed salt, and similar substances should be removed immediately to prevent damage to the film.
- Short-term exposure of the film to petrochemicals liquids, such as gasoline spills during refueling, is not harmful, However, rinse the area with clean water immediately

## **Maintenance Frequency:**

- Preferably clean your vehicle once a week, but at least once every 14 days.
- When you provide the film with extra protection using a wax, it will remain beautiful longer and be easier to clean. Refer to Meguiar's solutions for car wraps for this purpose

# **Additional Information about Meguiar's Products:**

Ultimate Wash & Wax Shampoo in combination with the Meguiar's Wash Mitt
 This product has a very minimal impact on the dullness of satin and matte films. The
 satin or matte film may appear slightly richer in color for a short period during washing
 and drying, but once the film is dry, this effect is no longer visible. It is important to
 follow the usage instructions, such as not adding too much shampoo to the water.

## • Hybrid Ceramic Liquid Wax

Provides good protection, is very easy to use, and is not noticeable on Print or Wrap films after application, even on satin or matte films. We recommend always treating the entire car with this Hybrid Ceramic Liquid Wax, as applying it to only certain parts may result in a visible difference in gloss. This difference occurs because the treated areas are cleaner.

#### • Ultimate Quick Wax

We advise using this product only on glossy Print and Wrap films. It can be used on satin and matte films, but these films may lose some of their satin or matte finish.

#### Ultimate Waterless Wash & Wax

This product is extremely suitable for all types of Print and Wrap films and can be used to quickly clean 'dirty' areas. Think of bird droppings or insects. However, you should not use this product to wash the entire car; it is only handy for small, spontaneous dirt that can affect the applied Print and Wrap film. Having a bottle of Ultimate Waterless Wash & Wax in the wrapped car is therefore highly recommended.

But be aware that when you clean certain parts, they may have a different (cleaner) appearance. Therefore, we recommend that after a "spot cleaning," you wash the entire car thoroughly again with Meguiar's Ultimate Wash & Wax Shampoo in combination with the Meguiar's Wash Mitt within a reasonable time.

Additional and supplementary information about 3M™ Print or Wrap Film, as well as our other products, can be found at www.3M.com/graphics

We wish you much enjoyment and many admiring looks with your wrapped vehicle!

- Useful Links:
- Product Bulletin 2080
- Application Instructies
- Maintain- and Removal instructions











